BOTHALIA

VOLUME 26

INDEX

ISSN 0006 8241

1996

BOTHALIA

A JOURNAL OF BOTANICAL RESEARCH

Volume 26

Scientific Editor: O.A. Leistner
Technical Editor: B.A. Momberg

2 Cussonia Avenue, Brummeria, Pretoria / Private Bag X101, Pretoria 0001

ISSN 0006 8241

1996

Digitized by the Internet Archive
in 2025

https://archive.org/details/african-biodiversity-conservation_1996_26_index

CONTENTS

	Page	Date
No. 1	1–81	May 1996
No. 2	83–210	Oct. 1996

Page

ANGUS, A. & CHAPMAN, J.D. A tribute to Frank White (5th March 1927 to 12th September 1994). 69

ARCHER, R.H. & ARCHER, C. Should *Crinum forbesii* (Lindl.) Schult. & Schult.f. be reinstated? (Amaryllidaceae). 153

ARCHER, R.H. & VAN WYK, A.E. Correct orthography and author citation for *Elaeodendron* (Celastraceae). 41

BALKWILL, K. A synopsis of *Peristrophe* (Acanthaceae) in southern Africa. 83

BORNEFELD, T., VOLK, O.H. & WOLF, R. *Exormotheca bulbigena* sp. nov. (Hepaticae, Marchantiales) and its relation to *E. holstii* in southern Africa. 159

BREDENKAMP, C.L. & BOTHA, D.J. *FSA* contributions 7: Verbenaceae: *Vitex*. 141

DUNCAN, G.D. Four new species and one new subspecies of *Lachenalia* (Hyacinthaceae) from arid areas of South Africa. 1

EDWARDS, T.J. Rare or extinct species of *Argyrolobium* (Crotalarieae). 42

GLEN, H.F. *FSA* contributions 5: Buxaceae. 37

HILTON-TAYLOR, C. Red Data List of southern African plants. 1. corrections and additions. 177

IMMELMAN, K.L. *FSA* contributions 6: Orchidaceae: *Holothrix*. 125

JACOBSEN, N.H.G. & JACOBSEN, J.B.E. Obituary: Werner Bahne Georg Jacobsen (1909–1995). 79

KURZWEIL, H. Review: Terrestrial orchids: from seed to mycotrophic plant, by Hanne N. Rasmussen. 1995. 184

MATZER, M. & MAYRHOFER, H. Saxicolous species of the genus *Rinodina* (lichenized Ascomycetes, Physciaceae) in southern Africa. 11

MEEUSE, A.D.J. & WELMAN, W.G. New records, name changes and a new combination in southern Africa (Convolvulaceae). 46

MOMBERG, B.A. Compiler: National Botanical Institute South Africa: list of staff and publications, 31st May 1996. 185

PEROLD, S.M. Studies in the Ricciaceae of sub-Saharan Africa: a provisional key to the currently known species. 95

RICHARDSON, D.M. Review: Dynamics of weed populations, by R.D. Cousens & M. Mortimer. 1995. 183

ROURKE, J.P. Review: Australian vegetation, 2nd edn, ed. by R.H. Groves. 81

ROURKE, J.P. A new species of *Serruria* from the northern part of the Western Cape (Proteaceae). 154

SCHUBERT, M.T.R. & VAN WYK, B.-E. A new species of *Centella* (Apiaceae). 50

SCHUBERT, M.T.R., VAN WYK, B.-E., VAN DER BANK, F.H. & VAN DER BANK, M. Morphological and biochemical genetic evidence for hybridization in the genus *Centella* (Apiaceae), with notes on phylogenetic and taxonomic implications. 167

SMITH, G.F. & MÖSSMER, M. *FSA* contributions 4: Agavaceae. 31

SMITH, G.F. & VAN WYK, A.E. Generic numbers in the subfamily Alooideae (Asphodelaceae). .. 158

SMITH, G.F. & VAN WYK, A.E. Obituary: Arthur Koeleman (1915–1994). 77

SPIES, J.J., SPIES, S.K., VAN WYK, S.M.C., MALAN, A.F. & LIEBENBERG, E.J.L. Cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa. 1. The tribe Aveneae, subtribe Aveninae. 53

SPIES, J.J., SPIES, S.K., VAN WYK, S.M.C., MALAN, A.F. & LIEBENBERG, E.J.L. Cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa. 2. The tribe Aveneae, subtribes Phalaridinae and Alopecurinae. 63

STEYN, E.M.A. Review: The anther: form, function and phylogeny, edited by W.G. D'Arcy & R.C. Keating. 1996. 183

WELMAN, W.G. Transfer of eleven varieties of *Lightfootia* nom. illeg. to *Wahlenbergia* (Campanulaceae). 157

INDEX

Acanthaceae, 83
additions to Red Data list, 179
Africa
  South, 1, 53, 63
  southern, 11, 46, 83, 159, 177
  sub-Saharan, 95
Agavaceae *Endl.*, 31
Agave *L.*, 31
  americana *L.*, 32
  complicata Trel. ex Ochot., 32
  felina Trel., 32
  gracilispina Engelm. ex Trel., 32
  melliflua Trel., 32
  rasconensis Trel., 32
  sisalana *Perrine.*, 32
  subzonata Trel., 32
  zonata Trel., 32
Allasia Lour., 141
allozyme, 167
Aloe *L.*, 158
Alooideae, subfamily, 158
Alopecurinae, subtribe, 63
Amaryllidaceae, 153
Angus, A. & Chapman, J.D. A tribute to Frank White (5th March 1927 to 12th September 1994), 69
Apiaceae, 50, 167
Apicra Willd., 158
Archer, C., 153
Archer, R.H. & Archer, C. Should *Crinum forbesii* (Lindl.) Schult. & Schult.f. be reinstated? (Amaryllidaceae), 153
Archer, R.H. & Van Wyk, A.E. Correct orthography and author citation for *Elaeodendron* (Celastraceae), 41
Argyrolobium
  angustissimum *(E.Mey.) T.J.Edwards*, 45
  crinitum *(E.Mey.) Walp.*, 42
  splendens *(Meisn.) Walp.*, 43
Ascomycetes, lichenized, 11
Asphodelaceae, 158
Astroloba *Uitewaal*, 158
author citation, 41
Aveneae, tribe, 53, 63
Aveninae, subtribe, 53
Axillares *Briq. emend. W.Piep.*, section, 142
Axillares Briq., 142
Balkwill, K. A synopsis of *Peristrophe* (Acanthaceae) in southern Africa, 83
biogeography, 11
Bonamia
  schizantha (Hallier f.) A.Meeuse, 47
  velutina *Verdc.*, 46
book review(s), 81, 183
Bornefeld, T., Volk, O.H. & Wolf, R. *Exormotheca bulbigena* sp. nov. (Hepaticae, Marchantiales) and its relation to *E. holstii* in southern Africa, 159
Botha, D.J., 141
Bredenkamp, C.L. & Botha, D.J. *FSA* contributions 7: Verbenaceae: *Vitex*, 141
Bucculina Lindl., 125
  aspera Lindl., 136
Buellia
  depressa Vain., 18
  distrata *(Nyl.) Zahlbr.*, 28
  permodica *(Stizenb.) Zahlbr.*, 28
  procellarum A.Massal., 29
  subtristis (Nyl. in Cromb.) Zahlbr., 26
Buxaceae, 37
Buxella Tiegh., 37
  macowanii (Oliv.) Tiegh., 37
Buxus *L.*, 37
  macowanii *Oliv.*, 37
  natalensis *(Oliv.) Hutch.*, 38
Campanulaceae, 157
Cape, Western, 154
Casarettoa Walp., 141
Celastraceae, 41
Centella *L.*, 167
  glauca *Schubert & B.-E. van Wyk*, 50, 167
Chapman, J.D., 69
Chasmone
  angustissima E.Mey., 45
  crinita E.Mey., 42
  splendens Meisn., 43
Chortolirion *A.Berger*, 158
chromosomes, 53, 63, 159
Chrysomallum Thouars, 141
comb. nov., 45, 49, 157
Convolvulaceae, 46
Convolvulus
  aschersonii *Engl.*, 47
  capensis *Burm.f.*, 47
    var. *bowieanus* (Rendle) A.Meeuse, 47
    var. *plicatus* (Desr.) Baker, 47
  indicus Burm.f., 48
  malabaricus L., 48
  natalensis *Bernh.*, 47
    var. *transvaalensis* (Schltr.) A.Meeuse, 47
  ocellatus *Hook.f.*, 48
    var. *ornatus* (Engl.) A.Meeuse, 48
  sagittatus *Thunb.*, 48
    var. *aschersonii* (Engl.) Verdc., 47
    var. *ulosepalus* (Hallier f.) Verdc., 48
    subsp. *grandiflorus* (Hallier f.) A.Meeuse
      var. *graminifolius* (Hallier f.) Baker & C.H.Wright ex A.Meeuse, 48
      var. *grandiflorus*, 48
      var. *linearifolius* (Hallier f.) Baker & C.H.Wright ex A.Meeuse, 48
    subsp. *sagittatus*
      var. *hirtellus* (Hallier f.) A.Meeuse, 48
      var. *namaquensis* A.Meeuse, 48
      var. *phyllosepalus* (Hallier f.) A.Meeuse, 48
  sublobatus L.f., 48
corrections to Red Data list, 177
Crinum forbesii (Lindl.) Schult. & Schult.f., 153
Crotalarieae, 42
cytology, 53, 63, 159
Deroemera Rchb.f., 125
  culveri (Bolus) Schltr., 137
Dianthera
  bicalyculata Retz., 87
  malabarica L.f., 89
  paniculata Forssk., 87
Dicliptera
  hereroensis Schinz, 87
  transvaalensis C.B.Clarke, 89

Duncan, G.D. Four new species and one new subspecies of *Lachenalia* (Hyacinthaceae) from arid areas of South Africa, 1
Edwards, T.J. Rare or extinct species of *Argyrolobium* (Crotalarieae), 42
Elaeodendron *Jacq.f.*, 41
Ephialis Banks, Sol. & A.Cunn., 141
Euvitex W.Piep., 142
Exormotheca
bulbigena *Bornefeld, O.H.Volk & R.Wolf*, 159
holstii *Steph.*, 159
extinct species, 42
flora, 11
FSA contributions, 31, 37, 125, 141
Gasteria *Duval*, 158
generic numbers, 158
Glen, H.F. *FSA* contributions 5: Buxaceae, 37
guide for authors to *Bothalia*, 201
Hafellia procellarum (A.Massal.) H.Mayrhofer & Sheard, 29
Haworthia *Duval*, 158
Hepaticae, 159
Hewittia
malabarica *(L.) Suresh*, 48
sublobata (L.f.) Kuntze, 49
Hilton-Taylor, C. Red Data List of southern African plants. 1. corrections and additions, 177
Holmskioldiopsis *W.Piep.*, subgenus, 146
Holothrix *Rich. ex Lindl.*, 125
aspera *(Lindl.) Rchb.f.*, 136
brachylabris Sond., 129
brevipetala *Immelman &* Schelpe, 129
burchellii *(Lindl.) Rchb.f.*, 137
burchellii sensu Kraenzl., 135
cernua *(Burm.f.) Schelpe*, 129
condensata Sond., 133
confusa Rolfe, 136
culveri *Bolus*, 137
var. *integra* Bolus, 137
exilis *Lindl.*, 129
var. *brachylabris* (Sond.) Bolus, 129
filicornis *Immelman & Schelpe*, 134
gracilis Lindl., 131
grandiflora *(Sond.) Rchb.f.*, 138
harveyana Lindl., 131
hispidula (L.f.) T.Durand & Schinz, 129
hispidula sensu Schltr., 129
incurva *Lindl.*, 134
lindleyana Rchb.f., 135
var. *parviflora* (Lindl.) Rolfe, 135
lithophila Schltr., 133
longicornu *G.J.Lewis*, 127
macowaniana *Rchb.f.*, 137
majubensis *C.Archer & R.H.Archer*, 133
micrantha *Schltr.*, 134
monotris (Lindl.) Rchb.f., 131
multisecta Bolus, 135
mundii *Sond.*, 136
orthoceras *(Harv.) Rchb.f.*, 135
parviflora *(Lindl.) Rchb.f.*, 135
parvifolia Lindl., 129, 131
pilosa *(Burch. ex Lindl.) Rchb.f.*, 127
randii *Rendle*, 138
reckii Bolus, 138
rupicola Schltr., 134
schlechteriana *Schltr. ex Kraenzl.*, 138
scopularia *(Lindl.) Rchb.f.*, 135
secunda *(Thunb.) Rchb.f.*, 133
squamulosa Lindl., 131
var. *glabrata* Bolus, 131
var. *hirsuta* Bolus, 131
var. *scabra* Bolus, 131
var. *typica* Schltr., 131
thodei *Rolfe*, 133
villosa *Lindl.*, 131
var. condensata *(Sond.) Immelman*, 133
var. villosa, 131
Hyacinthaceae, 1
hybridization, 167
Immelman, K.L. *FSA* contributions 6: Orchidaceae: *Holothrix*, 125
Ipomoea
angustifolia Jacq., 49
arachnosperma Welw., 48
atherstonei Baker, 47
batatas *(L.) Lam.*, 49
bathycolpos *Hallier f.*, 48
var. *sinuatodentata* Hallier f., 48
bolusiana *Schinz*, 48
var. *pinnatipartita* Verdc., 48
coccinea *L.*, 49
congesta R.Br., 48
consimilis *Schulze-Menz*, 46
dichroa *Choisy*, 48
fanshawei *Verdc.*, 46
fistulosa *Choisy*, 49
fulvicaulis *(Hochst. ex Choisy) Boiss. ex Hallier f.*, 46
holubii *Baker*, 47
indica *(Burm.f.) Merr.*, 48
magnusiana *Schinz*, 48
var. *eenii* (Rendle) A.Meeuse, 48
oblongata *E. Mey. ex Choisy*, 47
obscura *(L.) Ker Gawl.*, 48
var. *fragilis* (Choisy) A.Meeuse, 48
ochracea *(Lindl.) G.Don*, 46
oenotheroides *(L.f.) Raf. ex Hallier f.*, 47
robertsiana *Rendle*, 47
shupangensis *Baker*, 49
stenosiphon *Hallier f.*, 47
suffruticosa *Burch.*, 47
woodii N.E.Br., 49
IUCN Red Data Categories, 177
Jacobsen, J.B.E., 79
Jacobsen, N.H.G. & Jacobsen, J.B.E. Werner Bahne Georg Jacobsen (1909–1995), 79
Jacobsen, Werner Bahne Georg (1909–1995), 79
Justicia
bicalyculata (Retz.) Vahl, 87
caulopsila E.Mey., 91
ligulata Lam., 89
malabarica (L.f.) Aiton, 89
key
Agave spp., 32
Buxus spp., 37
genera Ricciaceae, 95
Holothrix spp., 125
Peristrophe spp., 85
Riccia spp., 95
Rinodina spp., 13
Vitex spp., 141

Koeleman, Arthur (1915–1994), 77
Kurzweil, H. Review: Terrestrial orchids: from seed to mycotrophic plant, by Hanne N. Rasmussen. 1995, 184
Lachenalia *Jacq.f. ex Murray*, 1
alba *W.F.Barker ex G.D.Duncan*, 6
karooica *W.F.Barker ex G.D.Duncan*, 1
marginata *W.F.Barker*, 7
subsp. neglecta *Schltr. ex G.D.Duncan*, 7
neilii *W.F.Barker ex G.D.Duncan*, 5
perryae *G.D.Duncan*, 3
Lecanora
confragosula Nyl. in Cromb., 16
conspersa (Müll.Arg.) Stizenb., 28
deminutula Stizenb., 28
microlepidea (Müll.Arg.) Stizenb., 20
quintana (Henriq. in Nyl.) Nyl. in Hue, 25
sophodes var. *atroalbida* Nyl., 28
substellulata (Müll.Arg.) Stizenb., 25
teichophiloides Stizenb., 27
Lecidea
distrata Nyl. in Cromb., 28
permodica Stizenb., 28
quintana (Henriq. in Nyl.), 25
var. *obscurior* Nyl., 25
subtristis Nyl. in Cromb., 26
lichenized Ascomycetes, 11
Liebenberg, A.J.L., 53, 63
Lightfootia
denticulata (Burch.) Sond. var. *transvaalensis* Adamson, 157
diffusa H.Buek
var. *palustris* Adamson, 157
var. *stokoei* Adamson, 157
divaricata H.Buek
var. *debilis* (Sond.) Adamson, 157
var. *filifolia* Adamson, 157
longifolia A.DC. var. *corymbosa* Adamson, 157
rubens H.Buek var. *brachyphylla* Adamson, 157
rubioides Banks ex A.DC. var. *stokoei* Adamson, 157
subulata L'Hér.
var. *congesta* Adamson, 157
var. *tenuifolia* Adamson, 157
tenella Lodd. var. *montana* Adamson, 157
Limia Vand., 141
Lomatophyllum *Willd.*, 158
Macrostegia Nees, 141
Mailelou Rheede ex Adans., 141
Malan, A.F., 53, 63
Marchantiales, 159
Matzer, M. & Mayrhofer, H. Saxicolous species of the genus *Rinodina* (lichenized Ascomycetes, Physciaceae) in southern Africa, 11
Mayrhofer, H., 11
Meeuse, A.D.J. & Welman, W.G. New records, name changes and a new combination in southern Africa (Convolvulaceae), 46
meiosis, 53, 63
Merremia tridentata (L.) Hallier f. subsp. *angustifolia* (Jacq.) Ooststr. var. *angustifolia* Verdc., 49
Metaporana angolensis N.E.Br., 47
Momberg, B.A. Compiler: National Botanical Institute South Africa: list of staff and publications, 31st May 1996, 185
Monotris Lindl., 125
secunda Lindl., 131
morphology, 167
Mössmer, M., 31
name changes, 46
Nephandra Willd., 141
new
combination, 45, 46, 49
records, 46
species, 1, 3, 5, 6, 19, 23, 24, 50, 154, 159
subspecies, 1, 7
nom. cons., 31
nomenclature, 41
nom. illeg., 89, 157
Notobuxus Oliv., 37
macowanii (Oliv.) E.Phillips, 37
natalensis Oliv., 38
obituary, 69, 77, 79
Orchidaceae, 125
Orchis
cernua Burm.f., 129
hispida Thunb., 129, 131
hispidula L.f., 129
secunda Thunb., 131, 133, 135
orthography, 41
Paralepistemon shirensis *(Oliv.) Lejoly & Lisowski*, 47
Peristrophe *Nees*, 83
bicalyculata (Retz.) Nees, 87
caulopsila E.Mey. ex Nees, 91
cernua *Nees*, 91
cernua sensu Compton, 91
cliffordii *K.Balkwill*, 90
decorticans *K.Balkwill*, 90
gillilandiorum *K.Balkwill*, 90
grandibracteata *Lindau*, 85
hensii (Lindau) C.B.Clarke, 91
hereroensis *K.Balkwill*, 87
kotschyana sensu K.Balkwill, 90
krebsii C.Presl, 91
namibiensis *K.Balkwill*, 87
subsp. brandbergensis *K.Balkwill*, 87
subsp. namibiensis, 87
natalensis T.Anderson, 91
oblonga Nees, 91
paniculata *(Forssk.) Brummitt*, 87
transvaalensis *(C.B.Clarke) K.Balkwill*, 89
Perold, S.M. Studies in the Ricciaceae of sub-Saharan Africa: a provisional key to the currently known species, 95
Phalaridinae, subtribe, 63
phylogeny, 167
Physciaceae, 11
Poaceae, 53, 63
Poellnitzia *Uitewaal*, 158
polyploidy, 53, 63
Pooideae, subfamily, 53, 63
Premna mooiensis *(H.Pearson) W.Piep.*, 149
Proteaceae, 154
Psilogyne DC., 141
publications
by F. White, 74
by the staff of NBI, 196
Pyrostoma G.Mey., 141
rare species, 42
Red Data list, 177

relationships, 167
Rhinacanthus oblonga (Nees) Nees, 91
Ricciaceae, 95
Richardson, D.M. Review: Dynamics of weed populations, by R.D. Cousens & M. Mortimer. 1995, 183
Rinodina *(Ach.) Gray*, 11
albicans H.Mayrhofer, 18
almbornii H. Mayrhofer, 16
argentiniana *Müll.Arg.*, 28
atroalbida *(Nyl.) C.W.Dodge*, 28
bicolor *Zahlbr.*, 28
confragosa *(Ach.) Koerb.*, 14
confragosula *(Nyl. in Cromb.) Müll.Arg.*, 16
conspersa *Müll.Arg.*, 28
deminutula *(Stizenb.) Zahlbr.*, 28
depressa (Vain.) Zahlbr., 18
distrata (Nyl.) C.W.Dodge, 28
geesteranii *H.Mayrhofer*, 17
gennarii *Bagl.*, 17
huillensis *Vain.*, 18
longisperma *Matzer & H.Mayrhofer*, 19
microlepidea *Müll.Arg.*, 20
microphthalma *A.Massal.*, 28
oxydata s.l., 21
procellarum (A.Massal.) H.Mayrhofer, 29
quintana (Henriq. in Nyl.) Zahlbr., 25
var. *obscurior* (Nyl.) Zahlbr., 25
reagens *Matzer & H.Mayrhofer*, 23
scabridula *Matzer & H.Mayrhofer*, 23
sp. 1, 27
sophodes var. *atroalbida* (Nyl.) Zahlbr., 28
striatitunicata *Matzer & H.Maryhofer*, 24
substellulata *Müll.Arg.*, 25
subtristis *(Nyl. in Cromb.) H.Mayrhofer*, 26
teichophila, 23
teichophiloides *(Stizenb.) Zahlbr.*, 27
Rourke, J.P. A new species of *Serruria* from the northern part of the Western Cape (Proteaceae), 154
Rourke, J.P. Review: Australian vegetation, 2nd edn, edited by R.H. Groves. 1994, 81
Saccidium Lindl., 125
pilosum Lindl., 127
Schubert, M.T.R. & Van Wyk, B.-E. A new species of *Centella* (Apiaceae), 50
Schubert, M.T.R., Van Wyk, B.-E., Van der Bank, F.H. & Van der Bank, M. Morphological and biochemical genetic evidence for hybridization in the genus *Centella* (Apiaceae), with notes on phylogenetic and taxonomic implications, 167
Scopularia Lindl., 125
burchellii Lindl., 137
grandiflora Sond., 138
secunda Lindl., 135
section Axillares *Briq.* emend. *W.Piep.*, 142
Seddera schizantha *Hallier f.*, 47
Serruria lacunosa *Rourke*, 154
Smith, G.F. & Mössmer, M. *FSA* contributions 4: Agavaceae, 31
Smith, G.F. & Van Wyk, A.E. Arthur Koeleman (1915–1994), 77
Smith, G.F. & Van Wyk A.E. Generic numbers in the subfamily Alooideae (Asphodelaceae), 158
South Africa, 1, 53, 63
southern Africa, 11, 46, 83, 159, 177
sp. nov., 1, 3, 5, 6, 19, 23, 24, 50, 154, 159
Spies, J.J., Spies, S.K., Van Wyk, S.M.C., Malan, A.F. & Liebenberg, E.J.L. Cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa. 1. The tribe Aveneae, subtribe Avininae, 53
Spies, J.J., Spies, S.K., Van Wyk, S.M.C., Malan, A.F. & Liebenberg, E.J.L. Cytogenetic studies in some representatives of the subfamily Pooideae (Poaceae) in South Africa. 2. The tribe Aveneae, subtribes Phalaridinae and Alopecurinae, 63
Spies, S.K., 53, 63
staff list of NBI, 185
Steyn, E.M.A. Review: The anther: form, function and phylogeny, edited by W.G. D'Arcy & R.C. Keating. 1996, 183
Stictocardia
laxiflora *(Baker) Hallier f.*, 49
var. *woodii* (N.E.Br.) Verdc., 49
woodii (N.E.Br.) Hallier f., 49
subfamily
Alooideae, 158
Pooideae, 53, 63
subgenus
Holmskioldiopsis *W.Piep.*, 146
Vitex *L.*, 142
sub-Saharan Africa, 95
subsp. nov., 7
subtribe
Alopecurinae, 63
Aveninae, 53
Phalaridinae, 63
synopsis, 83
taxonomy, 1, 11, 31, 37, 41, 42, 46, 50, 83, 95, 125, 141, 153, 154, 157–159
tribe Aveneae, 53, 63
Tripinna Lour., 141
Tryphia Lindl., 125
major Sond., 133
orthoceras Harv., 135
parviflora Lindl., 135
secunda Lindl., 135
Turbina
holubii (Baker) A.Meeuse, 47
oblongata (E.Mey. ex Choisy) A.Meeuse, 47
oenotheroides (L.f.) A.Meeuse, 47
robertsiana (Rendle) A.Meeuse, 47
shirensis (Oliv.) A.Meeuse, 47
stenosiphon (Hallier f.) A.Meeuse, 47
suffruticosa (Burch.) A.Meeuse, 47
Van der Bank, F.H., 167
Van der Bank, M., 167
Van Wyk, A.E., 41, 77, 158
Van Wyk, B.-E., 50, 167
Van Wyk, S.M.C., 53, 63
Verbenaceae, 141
Vitex *L.*, 141
subgenus, 142
amboniensis Gürke, 145
var. *schlechteri* W.Piep., 145
angolensis *Gürke*, 145
ferruginea *Schumach. & Thonn.*, 144
subsp. amboniensis *(Gürke) Verdc.*, 144
var. amaniensis *(W.Piep.) Verdc.*, 145
var. amboniensis, 145
flavescens Rolfe, 146
var. *parviflora* Gibbs, 146
geminata H.Pearson, 142
goetzei Gürke, 146

Vitex (cont.)
guerkeana H.Pearson non Hiern, 149
harveyana *H.Pearson*, 142
forma *geminata* (H.Pearson) Moldenke, 142
laevigata Baker, 145
mechowii Gürke, 146
mombassae *Vatke*, 146
var. *acuminata* W.Piep., 146
var. *parviflora* (Gibbs) W.Piep., 146
mooiensis H.Pearson, 149
mufutu De Wild., 146
obovata *E.Mey.*, 147
subsp. obovata, 149
subsp. wilmsii *(Gürke) C.L.Bredenkamp & D.J.Botha*, 149
patula *E.A.Bruce*, 142
payos (Lour.) Merr., 146
polyantha Baker, 145
pooara *Corbishley*, 144
reflexa H.Pearson, 147
rehmannii *Gürke*, 146
forma *subtomentosa* Moldenke, 147
schlechteri Gürke, 142
shirensis Baker, 146
swynnertonii S.Moore, 145
tangensis Gürke, 145
wilmsii Gürke
var. *reflexa* (H.Pearson) W.Piep., 147
var. *wilmsii*, 149
zeyheri *Sond. ex Schauer*, 147
var. *brevipes* H.Pearson, 147
Volk, O.H., 159
Wahlenbergia
denticulata *(Burch.) A.DC.* var. transvaalensis *(Adamson) W.G.Welman*, 157
longifolia *(A.DC.) Lammers* var. corymbosa *(Adamson) W.G.Welman*, 157
rubens *(H.Buek) Lammers* var. brachyphylla *(Adamson) W.G.Welman*, 157
rubioides *(Banks ex A.DC.) Lammers* var. stokoei *(Adamson) W.G.Welman*, 157
subulata *(L'Hér.) Lammers*
var. congesta *(Adamson) W.G.Welman*, 157
var. tenuifolia *(Adamson) W.G.Welman*, 157
tenella *(L.f.) Lammers*
var. palustris *(Adamson) W.G.Welman*, 157
var. stokoei *(Adamson) W.G.Welman*, 157
tenerrima *(H.Buek) Lammers* var. montana *(Adamson) W.G.Welman*, 157
uitenhagensis *(H.Buek) Lammers*
var. debilis *(Sond.) W.G.Welman*, 157
var. filifolia *(Adamson) W.G.Welman*, 157
Wallrothia Roth., 141
Welman, W.G., 46
Welman, W.G. Transfer of eleven varieties of *Lightfootia* nom. illeg. to *Wahlenbergia* (Campanulaceae), 157
Western Cape, 154
White, Frank (1927–1994), 69
Wolf, R., 159
Xenostegia tridentata *(L.) Austin & Staples*, 49
subsp. angustifolia *(Jacq.) A.Meeuse*, 49